

## **Utah Weekly Pertussis Update**

2018 data, through MMWR week ending April 14, 2018 (MMWR week 15)


Data presented in this report are based on current data available and will be subject to change weekly.

#### **Data Summary**

Total number of cases reported, 2018 year-to-date		Utah Incidence rate, 2018 year-to-date (YTD) per 100,000	
(YTD)	98	person-years	11.2
Total number of cases reported 2017	439	Utah Incidence rate, 2017 per 100,000 person-years	14.6
Number of cases reported in past week	1	National Incidence rate*, 2016 per 100,000 person-years.	4.7
Total number of cases reported, through same time			
period 2017	137	2018 Hospitalizations	0
	<1		
Age groups with the highest rates	15 - 24	2018 Cases in infants <1 year	6

<sup>\*</sup>National Incidence Rate is updated as released by the Centers for Disease Control and Prevention.

#### Number of cases reported by week



<sup>\*</sup>Additional cases may have occurred, especially in the most recent 3 weeks that have not yet been reported, as indicated by the grayed out section of the graph above.

#### 2018 Year-to-Date Incidence Rates, By Age

	2018	2016	
Age (years)	Cases	population	Rate*
<1	6	51,162	40.8
1-4	7	202,288	12.0
5-14	27	520,247	18.0
15-24	29	491,359	20.5
25-34	4	448,845	3.1
35-44	9	410,933	7.6
45-54	7	314,060	7.7
55-64	0	291,159	0.0
65+	9	321,164	9.7
Unknown	0	-	-
Total	98	3,051,217	11.2

<sup>\*</sup> Rate is calculated per 100,000 person years.


Infants less than 1 year of age have historically had the highest incidence rates of pertussis due to their susceptibility.

### School Age Incidence Rates, 2018 Year-to-Date

	Age		2016	
Grade	(years)	<b>2018 Cases</b>	Population	Rate*
Preschool	3-4	3	100,804	10.3
Kindergarten	5	2	50,541	13.8
1	6	3	52,444	19.9
2	7	1	52,797	6.6
3	8	2	53,837	12.9
4	9	2	53,515	13.0
5	10	5	52,433	33.1
6	11	0	52,420	0.0
7	12	5	51,616	33.7
8	13	3	51,136	20.4
9	14	4	49,508	28.1
10	15	5	49,763	34.9
11	16	15	49,882	104.5
12	17	4	48,431	28.7

<sup>\*</sup> Rate is calculated per 100,000 person-years. School age incidence rates were calculated using the average age of a student in each grade. High incidence rates in 5th and 6th grade may be due to waining immunity.

## Utah Case Counts of Pertussis, 2013-2018\* Year to Date



Pertussis tends to be cyclical. Reports have increased in Utah since 2010, peaked in 2012, and are currently trending downward.

<sup>\* 2018</sup> data includes pertussis cases reported year to date. 2013-2017 data reflects cases reported during the entire calendar year for each year.



# Incidence of Pertussis by Local Health Department, 2018 YTD

Local Health Department	2018 Cases	Rate*
Bear River	12	23.4
Central Utah	1	4.4
Davis County	11	11.2
Salt Lake County	46	14.3
San Juan County	0	0.0
Southeast Utah	0	0.0
Southwest Utah	2	3.0
Summit County	0	0.0
Tooele County	1	5.4
TriCounty	0	0.0
Utah County	9	5.3
Wasatch County	4	45.5
Weber-Morgan	12	16.1

<sup>\*</sup> Rate is calculated per 100,000 person-years using 2015 Utah population estimates.

